

Long COVID Bulletin

**New evidence and outputs from key organisations
relating to Long COVID**

Coverage: January 2026

Publication date: 04 February 2026

This bulletin is produced every month by PHS Knowledge Services for the National Strategic Network for Long COVID



Translations



Easy read



BSL



Audio




Large print



Braille

Translations and other formats are available on request at:

 phs.otherformats@phs.scot

 0131 314 5300

Public Health Scotland is Scotland's national agency for improving and protecting the health and wellbeing of Scotland's people.

© Public Health Scotland



This publication is licensed for re-use under the [Open Government Licence v3.0](#).

For more information, visit
www.publichealthscotland.scot/ogl

www.publichealthscotland.scot

Recent publications and journal articles

This current awareness bulletin contains a selection of material gathered from a search of the evidence base. It is not intended to be comprehensive and has not been critically appraised. Collated by a qualified information professional, the content is selected upon informed prioritisation of the search results based upon agreed criteria.

The bulletin is not a substitute for clinical or professional judgement and the information contained within does not supersede national and local NHS policies and protocols.

Previous issues of this bulletin can be accessed on the [Current Awareness page of the Knowledge Network](#).

If you need any help with obtaining the full text of any of the articles, please contact phs.knowledge@phs.scot

Epidemiology of long COVID, including incidence, prevalence, determinants

Amato C, Iovino P, Spinicci M, Longobucco Y, Livi L, Giovannoni L, et al. [Factors associated with persistent symptoms after COVID-19 infection: a longitudinal study on an Italian cohort of patients discharged from hospital](#). Infectious diseases (London, England). 2026;1–12.

Case SJ, Sabik L, Grant H. [Factors associated with long COVID among cancer survivors: A population-based analysis](#). Cancer epidemiology. 2026;100102984.

Domanyi R, Maitz E, Andrianakis A. [Association Between Obesity and Post-COVID-19 Condition in Military Conscripts](#). Journal of clinical medicine. 2026;15(1).

Lin D-Y, Mischell MA, Zhang X, Mollan KR, Zhang N, Nanyakkara D, et al. **Incidence and Severity of Postacute Sequelae of SARS-CoV-2 Infection in the Omicron Era: A Prospective Cohort Study**. The Journal of Infectious Diseases. 2026.

Martoreli Júnior JF, O Pedroso A, Lima L do ES, P Gusmão CM, G Meneguetti M, F C Coêlho H, et al. **Prevalence and associated factors with long COVID in the Brazilian population: The role of health-related behaviors and sociodemographic characteristics**. Plos One. 2026;21(1)e0339612.

Mohanty MC, Jawade KS, Rane SS, Dravid A, Gurav YK, Bhardwaj SD, et al. **Persistence of post-acute COVID-19 sequelae up to four years in patients with long COVID from Western India: A cross-sectional descriptive study**. Journal of infection and public health. 2026;19(1)103028.

Rhee KE, Thaweethai T, Pant DB, Stein CR, Salisbury AL, Kinser PA, et al. **Social determinants of health and pediatric long COVID in the US**. JAMA pediatrics. 2026.

Richard L, Nisenbaum R, Dyer A, Mergarten D, Brown M, Stewart S, et al. **Identifying potential post-COVID-19 condition among people experiencing homelessness using longitudinal symptom patterns: A prospective cohort study**. Public Health. 2026;252106148.

Shakil M, Farah S, Mahejabin F. **Post Covid-19 Syndrome among Rural Population: A Cross Sectional Study**. Mymensingh Medical Journal. 2026;35(1):205–12.

Uematsu T, Nojiri S, Nagao M, Ishijima M, Nishizaki Y. **Comprehensive analysis of risk factors for Coronavirus disease 2019 infection and post-infection sequelae based on real-world data from a health insurance database in Japan**. International Journal of Infectious Diseases. 2026;108405.

Wang B, Luo X, Wu M, Wang Z, Zhang J, Wang Z, et al. **Identifying subtypes of Long COVID: a systematic review**. EClinicalMedicine. 2026;91103705.

Wilkey HL, Datta BK. **Family history of cancer as a risk factor for Long COVID among United States adults**. Cancer Causes & Control. 2026;37(1)17.

Service planning and delivery, pathways of care, service evaluation

Duru EE, Okoye G, Lee S, Weir P, Kim J. **Comparison of healthcare expenditures among individuals with and without long COVID in the United States**. Inquiry : a journal of medical care organization, provision and financing. 2026;63469580251410890.

Goldschmidt MI, Torensma M, Beune E, Agyemang C, Rostila M, Benfield T, et al. **Experiences of access to care, diagnosis and rehabilitation among a multiethnic patient population with long COVID in Denmark: A qualitative study**. Scandinavian Journal of Public Health. 2026;14034948251400104.

Kamdem OL, Dupre C, Guyot J, Ruiz L, Nekaa M, Botelho-Nevers E, et al. **Task delegation in emerging chronic diseases: Long COVID care as a paradigm - a cross-sectional study**. BMC nursing. 2026;25(1)104.

Kontou K, Daynes E, Singh SJ, Evans RA, Gardiner N, Chaplin E, et al. **The effectiveness and acceptability of face-to-face rehabilitation for patients with Long Covid who were not hospitalised with their acute infection: a mixed-methods study comprising a randomised controlled trial (RCT) with embedded qualitative component**. Trials. 2026.

Petry Moecke DM, Kwong EH, Cressman S, Yao J, Singh C, Taylor C, et al. **Rehabilitation needs of long COVID patients in British Columbia**. PM & R : the journal of injury, function, and rehabilitation. 2026.

Prashar J, Hillman T, Wall EC, Sarna A, Mi E, Bell R, et al. **Trajectory, healthcare utilisation and recovery in 3590 individuals with long covid: a 4-year prospective cohort analysis**. BMJ Open. 2026;16(1)e103884.

Raymond KF, Hodge T, St Jean B, Liu BF. **Barriers to Long COVID Care in the U.S.: An Application of Levesque et al.'s Access Framework**. Health care analysis : HCA : journal of health philosophy and policy. 2026.

Rohner S, Schnepfer R, Meienberg A, Bopp K, Mayr M, Meinlschmidt G, et al. **Protocol of the digital long COVID study: A single-center, registry-based,**

feasibility and clinical evaluation study to investigate a 12-week digital intervention program for people affected by post-COVID-19 condition. Plos One. 2026;21(1)e0340385.

Segur P de C, Natarelli TRP, Fonseca LMM. **Simulated scenario of nursing consultation for long COVID in primary health care.** Revista gaucha de enfermagem / EENFUFGRS. 2026;46e20240376.

Psycho-social impacts of long COVID, including on work, education, and quality of life

Anujoo KO, Ikuabe PO, Ebuanyi ID. **Exploring correlates of mental health and employment in individuals with long COVID: A secondary data analysis.** Journal of Occupational and Environmental Medicine. 2026;68(1)74–9.

Gerhards SK, Lupp M, Zülke A, Sander C, Schomerus G, Buechner R, et al. **Depressive and anxiety symptoms in individuals with Long-COVID: Does social network matter? - Results of a German Long-COVID study.** Journal of Affective Disorders. 2026;401121272.

Goldschmidt MI, Mkoma GF, Petersen JH, Agyemang C, Rostila M, Thaning P, et al. **Ethnic differences in symptom burden, work and daily life: A study of long COVID patients in Denmark.** Journal of General Internal Medicine. 2026.

Jiménez-Antona C, Moreta-Fuentes R, Varillas-Delgado D, Moreta-Fuentes C, Laguarda-Val S. **From Exhaustion to Empowerment: A Pilot Study on Motor Control-Based Exercise for Fatigue and Quality of Life in Long COVID-19 Patients.** Medicina (Kaunas, Lithuania). 2026;62(1).

For further information on sources of evidence and other key references relevant to this topic, please contact: phs.knowledge@phs.scot