

Long COVID Bulletin

New evidence and outputs from key organisations relating to Long COVID

Coverage: April 2025

Publication date: 5 May 2025

This bulletin is produced every month by PHS Knowledge Services for the National Strategic Network for Long COVID













Translations

Easy read

BSL

Audio

Large print

Braille

Translations and other formats are available on request at:



phs.otherformats@phs.scot



0131 314 5300

Public Health Scotland is Scotland's national agency for improving and protecting the health and wellbeing of Scotland's people.

© Public Health Scotland



This publication is licensed for re-use under the Open Government Licence v3.0.

For more information, visit www.publichealthscotland.scot/ogl

www.publichealthscotland.scot

Recent publications and journal articles

This current awareness bulletin contains a selection of material gathered from a search of the evidence base. It is not intended to be comprehensive and has not been critically appraised. Collated by a qualified information professional, the content is selected upon informed prioritisation of the search results based upon agreed criteria.

The bulletin is not a substitute for clinical or professional judgement and the information contained within does not supersede national and local NHS policies and protocols.

Previous issues of this bulletin can be accessed on the **Current Awareness page of the Knowledge Network**.

If you need any help with obtaining the full text of any of the articles, please contact phs.knowledge@phs.scot

Epidemiology of long COVID, including incidence, prevalence, determinants

Al-Oraibi A, Woolf K, Naidu J, Nellums LB, Pan D, Sze S, et al. **Global prevalence** of long COVID and its most common symptoms among healthcare workers: a systematic review and meta-analysis. BMJ Public Health. 2025;3(1)e000269.

Brinkman N, Teunis T, Choi S, Ring D, Brode WM. Factors associated with the presence and intensity of ongoing symptoms in Long COVID. Plos One. 2025;20(4)e0319874.

Butzin-Dozier Z, Ji Y, Wang L-C, Anzalone AJ, Coyle J, Phillips RV, et al. COVID-19 Vaccination Timing, Relative to Acute COVID-19, and Subsequent Risk of Long COVID. medRxiv. 2025 [Pre-print, not yet peer reviewed].

Coste J, Delpierre C, Robineau O, Rushyizekera M, Richard J-B, Alleaume C, et al. A multidimensional network of factors associated with long COVID in the French population. Communications medicine. 2025;5(1)114. Gottlieb M, Yu H, Chen J, Spatz ES, Gentile NL, Geyer RE, et al. **Differences in Long COVID severity by duration of illness, symptom evolution, and vaccination: a longitudinal cohort study from the INSPIRE group**. Lancet
Regional Health Americas. 2025;44101026.

Hermans LE, Wasserman S, Xu L, Eikelboom J. Long COVID prevalence and risk factors in adults residing in middle- and high-income countries: secondary analysis of the multinational Anti-Coronavirus Therapies (ACT) trials. BMJ Global Health. 2025;10(4).

J VK, Koshy JM, S D, Narreddy S, Gowri S M, Rupali P, et al. **Prevalence and predictors of long COVID at 1 year in a cohort of hospitalized patients: A multicentric qualitative and quantitative study**. Plos One. 2025;20(4)e0320643.

Mksoud M, Ittermann T, Holtfreter B, Söhnel A, Söhnel C, Welk A, et al. **Vaccination** rate and symptoms of long COVID among dental teams in Germany. Scientific Reports. 2025;15(1)13654.

Ottaway Z, Campbell L, Fox J, Burns FM, Hamzah L, Schoeman S, et al. **Post-acute** sequelae of COVID-19 in people of Black ethnicities living with HIV in the United Kingdom. International Journal of STD & AIDS. 2025;9564624251334228.

Robinson CC, Sganzerla D, Manfio JL, Kochhann R, Hess ARB, da Silva PF, et al. Incidence, associated factors and impact of the post-COVID-19 condition in Brazil: Study protocol of an observational cohort during the Omicron phase. Plos One. 2025;20(4)e0322466.

Wang R, Lin M, Yu S, Xue X, Hu X, Wang Z. **Predictors of post-COVID-19 syndrome: a meta-analysis**. Journal of infection in developing countries. 2025;19(4)490–7.

Zang C, Guth D, Bruno AM, Xu Z, Li H, Ammar N, et al. **Long COVID after SARS-CoV-2 during pregnancy in the United States.** Nature Communications. 2025;16(1)3005.

Service planning and delivery, pathways of care, service evaluation

Goddings A-L, Johnston R, Wortley E, Patel R, Boyd H, Newlands F, et al.

Characterisation and Management of Children and Young People Referred to a

Paediatric Tertiary Post-COVID Service. The Journal of Adolescent Health. 2025.

Gölz LA, Poß-Doering R, Merle U, Wensing M, Stengel S. **Patient Perspectives on the Care in a Long COVID Outpatient Clinic-A Regional Qualitative Analysis from Germany**. Healthcare (Basel). 2025;13(7).

Gong KD, Afshar AS, Brown F, Alavi R, Ganesh R, Kharrazi H. Assessing the Impact of Post-COVID Clinics on 6-Month Health Care Utilization for Patients With Long COVID: A Single-Center Experience. Mayo Clinic proceedings Innovations, quality & outcomes. 2025;9(3)100603.

MacLean A, Driessen A, Hinton L, Nettleton S, Wild C, Anderson E, et al.

Rethinking "recovery": A comparative qualitative analysis of experiences of intensive care with COVID and long covid in the united kingdom. Health Expectations. 2025;28(2)e70253.

Seixas AFAM, Marcolino MS, Guimarães FS, Rocha GM, Menezes AC, Silva HKC, et al. Exploring the landscape of long COVID: prevalence and associated factors in patients assisted by a telehealth service. BMC Infectious Diseases. 2025;25(1)509.

Taylor OL, Treneman-Evans G, Riley M, Bond-Kendall J, Pike KC. **How young people experienced long covid services: a qualitative analysis**. BMJ Paediatrics Open. 2025;9(1).

Psycho-social impacts of long COVID, including on work, education, and quality of life

Al-Oraibi A, Tarrant C, Woolf K, Nellums LB, Pareek M. The impact of long COVID on UK healthcare workers and their workplace: a qualitative study of healthcare workers with long COVID, their families, colleagues and managers. BMC Health Services Research. 2025;25(1)519.

BuSaad MA, Aldhawyan AF, Alattas BA, AlAlloush RS, Alharbi MA, Alkaltham NK, et al. Impact of Long COVID on Health-Related Quality of Life Among COVID-19 Survivors in Saudi Arabia. Healthcare (Basel). 2025;13(8).

Daniels S, Wei H, McElvenny DM, van Tongeren M, Bramwell D, Coleman A, et al. **Return to Work with Long COVID: A Rapid Review of Support and Challenges**. medRxiv. 2025 [Pre-print, not yet peer reviewed].

Fidanoglu V, Saglam M, Pekcetin S, Vardar Yagli N, Yildiz BP, Bayraktaroglu M, et al. Exercise Capacity and Occupational Competence Sequelae in COVID-19

Survivors: A Longitudinal Study. Occupational therapy in health care. 2025;1–17.

Kim D. A nationwide study of risk factors for long COVID and its economic and mental health consequences in the United States. Communications medicine. 2025;5(1)104

Rayner CR, Burton K, MacDonald EB. Guidelines for a sustainable return to work with long COVID. Occupational Medicine. 2025;75(1)9–13.

Sawano M, Wu Y, Shah RM, Zhou T, Arun AS, Khosla P, et al. Long COVID characteristics and experience: A descriptive study from the yale LISTEN research cohort. The American Journal of Medicine. 2025;138(4)712-720.e13.

Xiang J, Zheng H, Cai Y, Chen S, Wang Y, Chen R. Cumulative social disadvantage and its impact on long COVID: insights from a U.S. national survey. BMC Medicine. 2025;23(1)207.

For further information on sources of evidence and other key references relevant to this topic, please contact: phs.knowledge@phs.scot